









Double ended probepin 両端プローブピン  
Outer Dia. 0.40~0.49mm/ 0.016" ~ 0.0193"

日本コネク  
TEL 03(5706)4360  
FAX 03(5706)4363

 <p>4 point crown type</p> <p>0.46 0.2 0.39 0.7 0.44 2.9 0.5 0.39 0.4 0.2</p> <p>Preload 0.07N(7gf) 0.25N(25gf) at 0.4mm travel Current Rating: 0.3A</p> <p><b>8YK-D38H-L37</b></p>	 <p>4 point crown type</p> <p>0.46 0.2 0.44 2.9 0.38 0.2 4 point crown type</p> <p>Full travel 0.6mm 0.245N(25gf) at 0.45mm travel</p> <p><b>8YK-D38H-L37-CRNI</b></p>	 <p>0.2 0.84 SK4材 0.4 4.6 0.5 0.45 1 0.4 0.2</p> <p>Full travel 0.8mm 0.297N(30gf) at 0.64mm travel</p> <p><b>8YK-D39H-L584-I</b></p>	
 <p>4 point crown type</p> <p>0.4 0.2 0.4 2.3 0.5 0.45 0.7 0.4 0.2</p> <p>Full travel 0.55mm 0.229N(23.4gf) at 0.4mm travel</p> <p><b>8YK-D40H-L30</b></p>	 <p>0.4 0.2 0.65 2.4 0.5 0.45 0.7 0.35 0.2</p> <p>Full travel 0.6mm max 0.27N at 0.5mm travel</p> <p><b>8YK-D40H-L34-I</b></p> <p>0.5mm pitch/ Field Adjacent Self inductance L1,L2 : 0.40nH Mutual inductance M21 : 0.05nH Mutual Capacitance C21: 0.06pF 0.08pF</p>	 <p>4 point crown type</p> <p>0.7 0.18 Rhodium Plating 2.1 0.4 0.3 0.18</p> <p>Full travel 0.6mm 0.21N(21gf) at 0.5mm travel</p> <p><b>8YF40L31-RHI</b></p>	








Double ended probepin 両端プローブピン  
 Outer Dia. 0.40~0.49mm/ 0.016" ~ 0.0193"

日本コネク  
 TEL 03(5706)4360  
 FAX 03(5706)4363

 <p>4 point crown type</p> <p>0.2</p> <p>0.6</p> <p>0.4</p> <p>0.45</p> <p>5.2</p> <p>4.1</p> <p>0.4</p> <p>0.5</p> <p>0.2</p> <p>Full travel 0.9mm          0.32N(32gf) at 0.7mm travel</p> <p><b>8YK-D40H-L52-TPCRNI</b></p>	 <p>0.2</p> <p>0.8</p> <p>0.4</p> <p>(5.3)</p> <p>4.1</p> <p>0.45</p> <p>0.5</p> <p>1</p> <p>0.4</p> <p>0.2</p> <p>Full travel 0.6mm          0.245N(25gf) at 0.45mm travel</p> <p><b>8YK-D40H-L53-CONI</b></p>		

Double ended probepin 両端プローブピン  
Outer Dia. 0.40~0.49mm/ 0.016" ~ 0.0193"

日本コネクト  
TEL 03(5706)4360  
FAX 03(5706)4363

 <p>4 point crown type</p> <p>Full travel 1.1mm 0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-AU-A</b></p>	 <p>4 point crown type</p> <p>Full travel 1.1mm 0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-AUI</b></p>	 <p>4 point crown type</p> <p>Full travel 1.1mm 0.26N(26gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-AUPI</b></p> <p>0.5mm pitch/ Field Adjacent Self inductance L1, L2 : 0.40nH Mutual inductance M21 : 0.05nH Mutual Capacitance C21: 0.06pF 0.08pF</p>	 <p>Expanded 4 point crown type</p> <p>Preload 0.04N(4gf) Full travel 1.1mm 0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-BIGI</b></p>
 <p>Expanded 4 point crown type</p> <p>Preload 0.04N(4gf) Full travel 1.1mm 0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-BIGI-SI-RH</b></p>	 <p>4 point crown type</p> <p>Plungers: BeCu</p> <p>Preload 0.04N(4gf) Full travel 1.1mm 0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57I</b></p>	 <p>4 point crown type</p> <p>Full travel 1.1mm 0.26N(26gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57I-1</b></p>	









Double ended probepin 両端プローブピン  
 Outer Dia. 0.40~0.49mm/ 0.016" ~ 0.0193"

日本コネクト  
 TEL 03(5706)4360  
 FAX 03(5706)4363

<p>4 point crown type 0.2 Rhodium Plating 1.1 0.4 0.45 0.4 0.5 1.0 0.5 0.2</p> <p>Preload 0.04N(4gf)              Full travel 1.1mm              0.228N(23.3gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-RHI</b></p>	<p>4 point crown type 0.2 Palladium Alloy 1.1 0.4 0.45 0.4 0.5 1.0 0.5 0.2</p> <p>Preload 0.04N(4gf)              Full travel 1.1mm              0.26N(26.5gf) at 0.9mm travel</p> <p><b>8YK-D40H-L57-PD-PI</b></p>		

Double ended probepin 両端プローブピン  
Outer Dia. 0.40~0.49mm/ 0.016" ~ 0.0193"

日本コネクト  
TEL 03(5706)4360  
FAX 03(5706)4363

 <p>4 point crown type</p> <p>Full travel 1.1mm 0.294N(29.9gf) at 0.9mm travel</p> <p><b>8YK-D40H-L74-AU30</b></p>	 <p>4 point crown type</p> <p>Preload 0.07N(7gf) Full travel 1.3mm 0.25N(25gf) at 0.9mm travel</p> <p><b>8YK-D40H-L74I</b></p>	 <p>4 point crown type</p> <p>Rhodium Plating</p> <p>Preload 0.07N(7gf) Full travel 1.3mm 0.25N(25gf) at 0.9mm travel</p> <p><b>8YK-D40H-L74-RHI</b></p> <p>0.5mm pitch/ Field Adjacent Self inductance L1, L2 : 0.40nH Mutual inductance M21 : 0.05nH Mutual Capacitance C21 : 0.06pF 0.08pF</p>	 <p>4 point crown type</p> <p>Preload 0.07N(7gf) Full travel 1.4mm 0.39N(40gf) at 0.95mm travel</p> <p><b>8YK-D40H-L74-2</b></p>
 <p>4 point crown type</p> <p>Full travel 1.0mm 0.246N(25.1gf) at 0.55mm travel</p> <p><b>8YK-D40H-L74TPC-HIJ</b> 非磁性仕様ピン</p>	 <p>4 point crown type</p> <p>Full travel 1.1mm 0.18N(18.4gf) at 0.9mm travel</p> <p><b>8YK-D40H-L83-HIJ</b> 非磁性仕様ピン</p>	 <p>Expanded 4 point crown type</p> <p>Preload 0.12N(12.2gf) Full travel 0.8mm 0.343N(35gf) at 0.65mm travel</p> <p><b>8YF42L58I</b></p>	 <p>4 point crown type</p> <p>Preload 0.107N(11gf) Full travel 2.34mm 0.392N(39.9gf) at 0.9mm travel</p> <p><b>8YD42124L-WG-RDCRI</b></p>