














Single ended probepin 片端
 Outer Dia. $\phi 1.3 \sim \phi 1.69\text{mm} / 0.051" \sim 0.0665"$

 <p>Current max 0.6A 0.20N (20gf) at 1.0mm travel</p> <p>8YJ15104G</p>	 <p>Preload 0.08N (8gf) Current max 1A 0.29N (30gf) at half travel</p> <p>8YN-T1203-00</p>	 <p>Preload 0.08N (8gf) Current max 0.2A 0.44N (45gf) at half travel</p> <p>8YJ-E1001-00</p>	 <p>Preload 0.14N (14gf) 0.29N (30gf) at 2/3 travel</p> <p>8YJ-15265-HD-03</p>
 <p>0.98N (100gf) at 2.0mm travel</p> <p>8YDOS001</p>	 <p>Plunger inside type</p> <p>Preload 0.23N (23gf) Current max 0.4A 0.79N (80gf) at 0.5mm travel</p> <p>8YJ-R0101-02-80</p>	 <p>Plunger inside type</p> <p>Preload 0.34N (34gf) Current max 0.4A 1.18N (120gf) at 0.5mm travel</p> <p>8YJ-R0101-02-120</p>	

mm

Single ended probepin 片端
 Outer Dia. $\phi 1.3 \sim \phi 1.69\text{mm}/0.051'' \sim 0.0665''$

 <p>Preload 0.31N (32gf) Current max 0.5A 1.30N (132gf) at half travel</p> <p>8YJ-R1001-00</p>	 <p>Preload 0.04N (4.5gf) Current max 0.2A 0.15N (15gf) at 0.5mm travel</p> <p>8YJ-R1001-00-15</p>	 <p>Preload 0.14N (14gf) Current max 0.2A 0.29N (30gf) at half travel</p> <p>8YJ-R1001-00-30</p>	 <p>Preload 0.1N (10gf) Current max 0.5A 0.29N (30gf) at 0.5mm travel</p> <p>8YJ0715-KMY</p>
 <p>Socket Ncontact-01 $\phi 0.45$ Acceptable</p> <p>Preload 0.03N (3gf) 0.29N (30gf) at 1.5mm travel</p> <p>8YF150L102-NZ</p>	 <p>Full travel 1.0mm Current max 1A 0.213N (22gf) at 0.6mm travel</p> <p>8YJ1543G-TPCRN20G</p>		